




Product Catalogue

Manufacturer & Exporter
of Orthopaedic
Implants & Instruments

 **SOFiA** SURGICALS PVT. LTD.
(AN ISO 9001 : 2008 CERTIFIED CO.)
Trusted group since 1996



1.5mm Cortical Screw



Available 4 to 10mm
Cat. No. T001.104 to T001.110

2.0mm Cortical Screw



Available 5 to 12mm
Cat. No. T002.205 to T002.212

2.7mm Cortical Screw




Available 8 to 30mm
Cat. No. T004.208 to T004.230

3.5mm Cortical Screw (20 TPI)




Available 10 to 50mm
Cat. No. 005.310 to 005.350

3.5mm Cancellous Screw (Short Th.)




Available 10 to 50mm
Cat. No. 020.310 to 020.350

3.5mm Cancellous Screw (Full Th.)




Available 10 to 50mm
Cat. No. 021.310 to 021.350

4.0mm Cancellous Screw (Short Th.)




Available 10 to 70mm
Cat. No. 022.410 to 022.470

4.0mm Cancellous Screw (Full Th.)



Available 10 to 70mm
Cat. No. 023.410 to 023.470

3.5mm LC-DCP Shaft Screw



Available 12 to 50mm
Cat. No. 010.324 to 010.380

3.5mm Locking Screw



Available 10 to 50mm
Cat. No. 063.310 to 063.350

4.0mm Locking Cancellous Screw (Short Th.)



Available 10 to 50mm
Cat. No. 067.410 to 067.450

4.0mm Locking Cancellous Screw (Full Th.)




Available 10 to 50mm
Cat. No. 068.410 to 068.450

4.5mm Cortical Screw




Available 14 to 70mm
Cat. No. 008.414 to 008.470

4.5mm LC-DCP Shaft Screw




Available 28 to 50mm
Cat. No. 010.428 to 010.450

4.5mm Malleolar Screw (Full Th.)




Available 20 to 90mm
Cat. No. 037.420 to 037.490

6.5mm Cancellous Screw (16mm Th.)



Available 20 to 120mm
Cat. No. 024.620 to 024.120

6.5mm Cancellous Screw (32mm Th.)



Available 20 to 120mm
Cat. No. 025.620 to 025.120

6.5mm Cancellous Screw (Full Th.)



Available 20 to 120mm
Cat. No. 026.620 to 026.120

5.0mm Locking Screw



Available 14 to 80mm
Cat. No. 064.514 to 064.580

6.5mm Locking Cancellous Screw (16mm Th.)



Available 30 to 105mm
Cat. No. 070.630 to 070.105

6.5mm Locking Cancellous Screw (32mm Th.)




Available 30 to 105mm
Cat. No. 071.630 to 071.105

6.5mm Locking Cancellous Screw (Full Th.)




Available 30 to 105mm
Cat. No. 072.630 to 072.105

Cortical Screw 3.5mm (Self Tapping)



Available 10 to 50mm
Cat. No. 006.310 to 006.350

Cortical Screw 4.5mm (Self Tapping)



Available 14 to 70mm
Cat. No. 009.414 to 009.470

DHS/DCS Lag Screws




Available 50 to 120mm
Cat. No. 302.004 to 302.012

Compression Screw (For DHS/DCS Lag Screw)




Available 4.0mm (Dia.)

4.0mm Cannulated Screw (Short Th.)



Available 10 to 70mm
Cat. No. 042.410 to 042.470

4.0mm Cannulated Screw (Full Th.)



Available 10 to 70mm
Cat. No. 041.410 to 041.470

6.5mm Cannulated Screw (16mm Th.)




Available 25 to 120mm
Cat. No. 045.625 to 045.120

6.5mm Cannulated Screw (32mm Th.)



Available 25 to 120mm
Cat. No. 046.625 to 046.120

6.5mm Cannulated Screw (Fully Th.)



Available 20 to 120mm
Cat. No. 026.620 to 026.120

7.0mm Cannulated Screw (16mm Th.)



Available 25 to 120mm
Cat. No. 047.725 to 047.120

7.0mm Cannulated Screw (32mm Th.)




Available 25 to 120mm
Cat. No. 048.725 to 048.120

2.9mm Interlocking Bolt



Available 20 to 40mm
Cat. No. 081.220 to 081.240

3.4mm Interlocking Bolt



Available 16 to 40mm
Cat. No. 082.316 to 082.340

3.9mm Interlocking Bolt



Available 18 to 50mm
Cat. No. 083.318 to 083.350

4.9mm Interlocking Bolt



Available 22 to 70mm
Cat. No. 084.422 to 084.470

6.2mm Hip Locking Bolt




Available 50 to 120mm
Cat. No. 084.422 to 084.470

8.0mm Proximal Femoral Screw



Available 55 to 120mm
Cat. No. 087.822 to 087.120

Monoaxial Screw



Available 30 to 50mm
Cat. No. 100.530 to 100.650

Polyaxial Screw




Available 30 to 50mm
Cat. No. 101.530 to 101.650

Reduction Screw



Available 30 to 50mm
Cat. No. 105.530 to 105.650

Cervical Bone Screw 4.0mm



Available 12 to 22mm
Cat. No. 052.012 to 052.022

Steffee Screw



Available 26 to 50mm
Cat. No. 107.450 to 108.550

Schanz Screw (16mm Threaded)



Available 75 to 225mm
Cat. No. 626.205 to 628.422

Schanz Screw (32mm Thread)



Available 100 to 225mm
Cat. No. 629.310 to 629.522

Schanz Screw (50mm Th.) Tapper




Available 150 to 225mm
Cat. No. 630.015 to 630.622

Schanz Screw (50mm Threaded)




Available 150 to 225mm
Cat. No. 631.515 to 632.522

1.5mm L PLATE ANGLE 3Hole



Available 2 + 2 Holes (L/R)
Cat. No. T204.002 to T204.102

Mandibular Plate with Center Space




Available 2 to 6 Holes
Cat. No. T208.002 to T208.006

1.5mm T Plate Head 2Hole



Available 2 + 2 Holes
Cat. No. T205.002

1.5mm Mandibular Plate




Available 3 to 20 Holes
Cat. No. T209.003 to T209.020

1.5mm X Plate




Available 5 Holes
Cat. No. T206.005

1.5mm Orbital Plate With Center Space




Available 4 to 8 Holes
Cat. No. T202.004 to T202.008

1.5mm Y Plate



Available 5 Holes
Cat. No. T207.005

1.5mm Orbital Plate



Available 8 to 12 Holes
Cat. No. T203.008 to T203.012


1.5mm L PLATE ANGLE 2Hole



Available 2+2 to 2+3 Holes
Cat. No. T204.002 to T204.102


2.0mm Mandible Plate

with Center Space



Available 2 to 6 Holes
Cat. No. T215.002 to T215.006


2.0mm Mandible Plate



Available 4 to 12 Holes
Cat. No. T215.104 to T215.120


2.0mm Orbital Plate

with Center Space



Available 4 to 6 Holes
Cat. No. T216.004 to T216.008

2.0mm Orbital Plate




Available 8 to 12 Holes
Cat. No. T217.008 to T217.012

2.0mm L - Plate Angle 2Hole



Available 2 to 4 Holes
Cat. No. T218.002 to T218.104

2.0mm L - Plate Angle 3Hole



Available 3 Holes (L/R)
Cat. No. T218.006 to T218.106

2.0mm T - Plate Head 2Hole




Available 2 to 4 Holes
Cat. No. T219.002 to T219.004

2.0mm X - Plate



Available 5 Holes
Cat. No. T220.005

2.0mm Y - Plate



Available 4 to 5 Holes
Cat. No. T221.004 to T221.005

2.0mm Double End Y - Plate



Available 6 Holes
Cat. No. T223.001

2.0mm Z - Plate



Available 4 to 5 Holes
Cat. No. T222.004 to T222.104

2.7mm Straight Reconstruction



Available 4 to 10 Holes
Cat. No. T250.004 to T250.010

2.7mm DCP Plate



Available 2 to 8 Holes
Cat. No. T251.002 to T251.008

2.7mm L - Plate 2Hole




Available 2 to 4 Holes
Cat. No. T253.002 to T253.104

2.7mm T - Plate 2Hole




Available 2 to 4 Holes
Cat. No. T254.002 to T254.004

One Third Tubular Plate 3.5mm




Available 4 to 12 Holes
Cat. No. 302.004 to 302.012

Small DCP 3.5mm



Available 4 to 12 Holes
Cat. No. 300.004 to 300.012

Small LC-DCP 3.5mm



Available 4 to 12 Holes
Cat. No. 301.004 to 301.012

Small T- Plate, Right Angled 3.5mm



Available 3 to 10 Holes
Cat. No. 304.003 to 304.010

Small T- Plate, Oblique Angled 3.5mm



Available 3 to 10 Holes
Cat. No. 305.003 to 305.010

Reconstruction Plate Straight 3.5mm



Available 4 to 20 Holes
Cat. No. 307.004 to 307.020

Hook Plate 3.5mm




Available 4 to 10 Holes
Cat. No. 306.004 to 306.010

Cloverleaf Plate 3.5mm



Available 3 to 10 Holes
Cat. No. 309.003 to 309.010

Calcaneal Plate 3.5mm




Available 60 to 70mm
Cat. No. 310.060 to 310.070

Reconstruction (Thin) Round Hole




Available 4 to 20 Holes
Cat. No. 312.004 to 312.020

Narrow DCP 4.5mm



Available 2 to 16 Holes
Cat. No. 350.002 to 350.016

Narrow LC - DCP 4.5mm



Available 4 to 16 Holes
Cat. No. 351.004 to 351.016

Broad DCP 4.5mm



Available 5 to 18 Holes
Cat. No. 353.005 to 353.016

Broad LC -?DCP 4.5mm



Available 4 to 16 Holes
Cat. No. 352.004 to 352.016

T?Buttress Plate 4.5mm



Available 3 to 12 Holes
Cat. No. 355.003 to 355.012

T - Plate 4.5mm



Available 3 to 14 Holes
Cat. No. 356.003 to 356.014

L?- Buttress Plate 4.5mm



Available 3 to 12 Holes
Cat. No. 357.003 to 357.012

Spoon Plate 4.5mm



Available 4 to 6 Holes
Cat. No. 358.004 to 358.006

Lateral Tibia Head Buttress 4.5mm




Available 5 to 13 Holes
Cat. No. 359.005 to 359.013

Condylar Buttress Plate 4.5mm



Available 5 to 15 Holes
Cat. No. 360.005 to 360.015

Cobra Head Plate 4.5mm



Available 6 to 12 Holes
Cat. No. 361.006 to 361.012

Narrow Hook Plate 4.5mm




Available 5 to 10 Holes
Cat. No. 364.005 to 364.010

Reconstruction Plate 4.5mm (DC Hole)



Available 4 to 16 Holes
Cat. No. 362.004 to 362.016

Semi - Tubular Plate 4.5mm



Available 4 to 12 Holes
Cat. No. 354.004 to 354.012

Small Locking Plate 3.5mm



Available 4 to 12 Holes
Cat. No. 320.004 to 320.012

Locking T-Plate, Right Angled 3.5mm



Available 3 to 8 Holes
Cat. No. 321.003 to 321.008

Locking T-Plate, Oblique Angled 3.5mm



Available 3 to 8 Holes
Cat. No. 322.003 to 322.008

Locking Reconstruction Plate 3.5mm



Available 5 to 20 Holes
Cat. No. 323.005 to 323.020

Locking Proximal Humeral 3.5mm



Available 5 to 14 Holes
Cat. No. 324.005 to 324.014

Locking Medial Distal Tibia 3.5mm



Available 4 to 14 Holes
Cat. No. 327.204 to 327.214

Locking Distal Femur 4.5mm/5.0mm



Available 5 to 13 Holes
Cat. No. 378.005 to 378.013

Locking Philos Proximal Humer 3.5mm



Available 3 to 12 Holes
Cat. No. 332.003 to 332.012

Locking Distal Humeral (Support) 3.5mm



Available 3 to 10 Holes
Cat. No. 333.003 to 333.010

Locking Distal Humeral Plate 3.5mm



Available 3 to 10 Holes
Cat. No. 334.003 to 334.010

Locking Medial Distal Humeral 3.5mm



Available 3 to 10 Holes
Cat. No. 327.003 to 327.010

Locking Superior Anterior Clavicle 3.5mm



Available 6 to 8 Holes
Cat. No. 328.006 to 328.008

Locking Clavicle Hook Plate 3.5mm



Available 4 to 7 Holes
Cat. No. 330.204 to 330.807

**Locking Medial Distal Tibia Plate 3.5mm
Without Tab**



Available 4 to 14 Holes
Cat. No. 335.004 to 335.014

Narrow Locking Plate 4.5mm/5.0mm



Available 5 to 14 Holes
Cat. No. 370.005 to 370.014

Broad Locking Plate 4.0mm/5.0mm



Available 5 to 16 Holes
Cat. No. 371.005 to 371.016

Locking Recon. Plate 4.5mm/5.0mm



Available 4 to 22 Holes
Cat. No. 372.004 to 372.022

Locking L - Buttress 4.5mm/5.0mm



Available 3 to 10 Holes
Cat. No. 373.003 to 373.010

Locking T Buttress 4.5mm/5.0mm



Available 3 to 10 Holes
Cat. No. 374.003 to 374.010

Locking T Plate 4.5mm/5.0mm



Available 3 to 10 Holes
Cat. No. 375.003 to 375.010

Locking Lateral Tibia 4.5mm/5.0mm



Available 4 to 13 Holes
Cat. No. 376.004 to 376.013

Locking Proximal Tibia 4.5mm/5.0mm



Available 4 to 14 Holes
Cat. No. 377.004 to 377.014

Locking Proximal Femur 4.5mm/5.0mm



Available 3 to 12 Holes
Cat. No. 380.003 to 380.012

Locking Metaphyseal 4.5mm/5.0mm



Available 3 to 10 Holes
Cat. No. 384.003 to 384.010

Small 1/3rd Tubular Plate 3.5mm



Available 3 to 12 Holes
Cat. No. 321.103 to 321.112

**Locking Distal Radius
Volar Plate 3.5mm**




Available 3 to 5 Holes
Cat. No. 225.003 to 225.105

Locking T Plate (Head 4 Hole) 3.5mm



Available 3 to 6 Holes
Cat. No. 306.003 to 306.006

**Locking Antro Lateral Distal
Tibia Plate 3.5mm**



Available 3 to 16 Holes
Cat. No. 326.003 to 326.116

**Locking Extra Articular Distal
Humerus Plate 3.5mm**



Available 2 to 14 Holes
Cat. No. 224.002 to 224.114

**Locking Lateral Distal
Fibula Plate 3.5mm**



Available 3 to 11 Holes
Cat. No. 226.003 to 226.111

**Locking Postero Lateral Distal
Fibula Plate 3.5mm**



Available 2 to 14 Holes
Cat. No. 227.002 to 227.114

Locking Cloverleaf Plate 3.5mm



Available 4 to 8 Holes
Cat. No. 326.004 to 326.008

**Locking Superior Anterior Clavicle
Plate with Lateral Extension 3.5mm**



Available 3 to 8 Holes
Cat. No. 329.003 to 329.108

**Locking Condylar Buttress
4.5mm/5.0mm**



Available 5 to 15 Holes
Cat. No. 360.005 to 360.115



DHS Plate (DC Hole) 38mm Barrel



Available 2 to 18 Holes
Cat. No. 400.002 to 403.018

DHS Plate (DC Hole) 25mm Barrel



Available 2 to 18 Holes
Cat. No. 404.004 to 407.008

95° DCS Plate (DC Hole)



Available 4 to 20 Holes
Cat. No. 408.004 to 408.020

DHS Plate (Round Hole) 38mm Barrel



Available 2 to 18 Holes
Cat. No. 409.002 to 409.318

DHS Plate (Round Hole) 25mm Barrel



Available 3 to 18 Holes
Cat. No. 410.004 to 411.018

95° DCS Plate (Round Hole)



Available 5 to 20 Holes
Cat. No. 412.005 to 412.020

95° Condylar Plate (DC Hole)



Available 5 to 20 Holes
Cat. No. 431.005 to 434.020

130° Angled Blade Plate (DC Hole)



Available 4 to 12 Holes
Cat. No. 435.004 to 438.012

DHS/DCS Lag Screws




Available 50 to 120mm
Cat. No. 302.004 to 302.012

Reconstruction Plate Curved 3.5mm



Pelvic Implant
Available 5 to 18 Holes
Cat. No. 391.005 to 391.018

Reconstruction Plate 3.5mm (DC Hole)



Pelvic Implant
Available 4 to 20 Holes
Cat. No. 307.004 to 307.020

Reconstruction Plate 4.5mm (DC Hole)



Pelvic Implant
Available 4 to 20 Holes
Cat. No. 362.004 to 362.020

**Bipolar Hip Prosthesis
(Non - Fenestrated)**



Available 37 to 55mm
Cat. No. 472.037 to 472.055

**Bipolar Hip Prosthesis
(Fenestrated)**



Available 37 to 55mm
Cat. No. 473.037 to 473.055

Thompson Hip Prosthesis



Available 37 to 55mm
Cat. No. 474.037 to 474.055

Austin More Hip Prosthesis



Available 37 to 55mm
Cat. No. 471.037 to 471.055

**Austin More Hip Prosthesis
(Narrow Stem)**



Available 37 to 55mm
Cat. No. 470.037 to 470.055

**Austin Moore Hip Prosthesis
(Extra Long Stem)**



Available 37 to 55mm
Cat. No. 475.037 to 475.055

Stainless Steel Wire Spool




Available 16 to 30 swg
Cat. No. 600.016 to 600.030

Cerelage Wire with Eye



Available 0.8 to 1.5 mm
Cat. No. 601.008 to 602.015

**Kirschner Wire (K Wire)
Double Side Trocar Tip**



Available 0.8 to 3.0 mm
Cat. No. 603.008 to 608.030

**Kirschner Wire (K Wire)
Single Side Trocar Tip**



Available 0.8 to 3.0 mm
Cat. No. 609.008 to 613.030

**Kirschner Wire (K Wire)
Single Side Threaded Tip**



Available 1.5 to 3.0 mm
Cat. No. 615.015 to 616.030

Austin Moore Pin 3mm with 2 Nuts



Available 50 to 140 mm
Cat. No. 623.050 to 623.140

Knowles Pins 4mm



Available 50 to 120 mm
Cat. No. 624.050 to 624.120

Coventry Staples



Available Small, Medium & Large
Cat. No. 641.001 to 641.003

U - Staples



Available 10 to 35 mm
Cat. No. 642.010 to 644.035

Steinman Pin



Available 150 to 250 mm
Cat. No. 618.015 to 622.125

**Steinman Pin (Central Threaded)
Thread Diameter 0.5mm Larger than Pin Diameter**



Available 3.0 to 5.0 mm
Cat. No. 625.030 to 626.050

Schanz Screw (16mm Threaded)



Available 75 to 225 mm
Cat. No. 626.205 to 628.422

Schanz Screw (32mm Thread)



Available 100 to 225 mm
Cat. No. 629.310 to 629.522

Schanz Screw Tapper Th. (50mm Th.)



Available 150 to 225 mm
Cat. No. 630.015 to 630.622

Schanz Screw (50mm Threaded)



Available 150 to 225 mm
Cat. No. 631.515 to 632.522

Distractor Double H 4.0mm



Available 75 to 150 mm
Cat. No. 650.475 to 650.415

Distractor Double H 6.0mm



Available 155 to 300 mm
Cat. No. 650.615 to 650.630

Distractor Single H 4.0mm



Available 50 to 100 mm
Cat. No. 651.050 to 651.010

Joint Clamp



Available 2.0 to 4.0 mm
Cat. No. 652.001 to 652.003

Straight Rod 3.0mm



Available 100 to 300 mm
Cat. No. 653.310 to 653.330

Straight Rod 4.0mm



Available 100 to 400 mm
Cat. No. 653.410 to 653.440

L - Rod Small



Available 3.0 to 4.0 mm
Cat. No. 653.330 to 653.340

L - Rod Large



Available 3.0 to 4.0 mm
Cat. No. 653.530 to 653.540

Z - Rod Small



Available 3.0 to 4.0 mm
Cat. No. 654.430 to 654.440

Allen Key



Available 4 to 12 mm
Cat. No. 302.004 to 302.012

Spanner



Available 6 to 10 mm
Cat. No. 656.006 to 656.010

Straight Rod 4.0mm



Available 100 to 300 mm
Cat. No. 657.410 to 657.430

Small Clamp 4.0mm



Available 2.5 to 4.0 mm
Cat. No. 658.025 to 658.040

T Handle Socket Wrench



Available 8 mm
Cat. No. 659.027

Mini Distractor Unit for Metacarpal



Cat. No. 659.028

Distractor Comp. Rod



Available 150 to 250 mm
Cat. No. 659.015 to 659.025

Ball & Socket Clamp



Available 2.5 to 4.0 mm
Cat. No. 659.029

Spanner for Ball & Socket Clamp



Cat. No. 659.030

Connection Tube 11mm



Available 100 to 500 mm
Cat. No. 660.010 to 660.050

Single Pin Clamp



Available 3.5 to 4.5 mm
Cat. No. 660.051

Double Pin Clamp



Available 3.5 to 4.5 mm
Cat. No. 660.052

Open Clamp



Available 4.5 X 11 mm
Cat. No. 660.053

Tube to Tube Clamp



Available 11 mm
Cat. No. 660.054

Universal Joint Twin Clamp



Cat. No. 660.055

Transverse Clamp



Cat. No. 660.056

Compressor Open



Cat. No. 660.057

Triple Trocar Large



Cat. No. 660.058

Simple Handle



Cat. No. 660.059

T Handle Socket Wrench Cannulated



Available 11 mm
Cat. No. 660.060

Hinges Male



Available 1 Hole
Cat. No. 666.007

Hinges Female



Available 1 Hole
Cat. No. 666.008

Italian Arch Ring 180mm



Available 90° to 120°
Cat. No. 663.018 to 664.018

Half Ring



Available 80 to 220 mm
Cat. No. 661.008 to 661.022



5/8 Ring
Available 80 to 220 mm
Cat. No. 662.008 to 662.022



Threaded Rod
Available 100 to 400 mm
Cat. No. 665.100 to 665.400



Full Ring
Available 140 to 220 mm
Cat. No. 666.001 to 666.006



Connection Bolt
Available 12 to 15 mm
Cat. No. 670.012 to 670.015



Male Post
Available 2 to 4 Hole
Cat. No. 667.002 to 667.004



Female Post
Available 2 to 4 Hole
Cat. No. 668.002 to 668.004



Connection Plate
Available 4 to 10 Hole
Cat. No. 669.004 to 669.010



Hinges
Available 90° Degree
Cat. No. 666.009



Nut
Cat. No. 670.021



Wire Fixation Bolt Side Slot
Cat. No. 670.002



Wire Fixation Bolt Center Hole
Cat. No. 670.023



Square Nut
Cat. No. 670.024



Washer
Cat. No. 673.005



Wrencho Cubes
Available 1 to 4 Hole
Cat. No. 673.001 to 673.004



Single Fixation Bolt
Available 3.5 to 5.5 mm
Cat. No. 670.026 to 670.028



Washer Slotted
Cat. No. 673.006



Tension K Wire Bayonet Point 1.8mm
Available 405 mm
Cat. No. 673.008



Olive Wire Bayonet Point 1.8mm
Available 405 mm
Cat. No. 673.010




Curved Plate
Cat. No. 673.011



Twisted Plate
Cat. No. 673.012



Multi Schanz Screw Clamp
Cat. No. 673.013



Hexagonal Socket
Cat. No. 673.014



Bushing
Cat. No. 673.015



Oblique Support
Cat. No. 673.016

Interlocking Tibia Nail



Available 8X280 to 11X400 mm
Cat. No. 501.828 to 501.138

Expert Tibia Nail



Available 8X280 to 11X420 mm
Cat. No. 539.828 to 539.144

Interlocking Femoral Nail



Available 9X320 to 12X440 mm
Cat. No. 502.932 to 502.244

Delta Femoral Nail



Available 9X320 to 12X440 mm
Cat. No. 540.932 to 540.244

Universal Proximal Femoral Nail (Short)

Angled 130°/135°



Available 9X220 to 12X260 mm
Cat. No. 512.922 to 512.226

Universal Proximal Femoral Nail (Long)

Angled 130°/135°



Available 9X340 to 12X440 mm
Cat. No. 507.934 to 508.244

Proximal Femoral Nail - 2 (Anti-Rotation Nail)



Available 9X200 to 12X240 mm
Cat. No. 512.920 to 512.224

Trochanteric Femoral Nail



Available 9X180 to 12X180 mm
Cat. No. 535.918 to 535.218

Gamma Nail (Short)



Available 9X180 to 12X240 mm
Cat. No. 538.918 to 538.224

Gamma Nail (Long)



Available 9X340 to 12X440 mm
Cat. No. 536.934 to 537.244

Supra Condylar Nail with 5 Holes



Available 9X150 to 13X300 mm
Cat. No. 509.915 to 509.330

Supra Condylar Nail with Multi Holes



Available 9X150 to 13X300 mm
Cat. No. 503.915 to 503.330

Reconstruction Femoral Nail



Available 9X340 to 12X440 mm
Cat. No. 505.934 to 506.244

Humeral Nail (Solid)



Available 6.0X180 to 8.0X300 mm
Cat. No. 510.618 to 510.830

Humeral Nail (Cannulated)



Available 6.0X180 to 8.0X300 mm
Cat. No. 504.618 to 504.830

Enders Nail 3.5mm



Available 180 to 400 mm
Cat. No. 514.318 to 514.340

Enders Nail 4.5mm



Available 280 to 440 mm
Cat. No. 515.428 to 515.444

K-Nail



Available 8X280 to 13X440 mm
Cat. No. 516.828 to 516.344

Rush Nail



Available 2.0X180 to 5.0X300 mm
Cat. No. 517.218 to 523.530

Square Nail Radius



Available 2.0X180 to 3.5X300 mm
Cat. No. 524.218 to 527.330

Square Nail Ulna



Available 2.0X180 to 3.5X300 mm
Cat. No. 528.218 to 531.330

Elastic Nail 3.5mm



Available 2.0 to 4.0 mm
Cat. No. 532.244 to 534.444

End Cap



Available for All Nail
Cat. No. 088.650 to 088.675

Proximal Blade



Available 10.5X65 to 10.5X120mm
Cat. No. 081.065 to 081.120

Connecting Rod 6.0mm



Available 60 to 400 mm
Cat. No. 102.560 to 102.540

Connecting Rod 3.0mm



Available 50 to 100 mm
Cat. No. 103.350 to 103.310

Connecting Block



Threaded Staples



Pedicle Hook



Leminar Wide Blade Hook




Leminar Reduce Distance Hook



Leminar Angled Distance Hook



Inner Nut



Cervical Plate



Available 21.5 to 70 mm
Cat. No. 392.001 to 392.021

Spinal Eco Cage



Available 20 to 50 mm
Cat. No. 115.020 to 118.050

Expendable Cage



Available 20X25 to 55X75 mm
Cat. No. 119.020 to 122.055

Tlif Cage (Kidney Cage)



Available 7 to 11 mm
Cat. No. 112.407 to 112.111

Plif Cage



Available 7 to 11 mm
Cat. No. 113.007 to 114.011

Steffee Plate



Available 37 to 210 mm
Cat. No. 106.001 to 106.006

Hart Shill 4.0mm



Available 50 to 250 mm
Cat. No. 109.450 to 109.425

Spine H Plate 3.5/2.7mm



Available 5 to 11 Holes
Cat. No. 111.005 to 111.011